

# 3.85g /cm<sup>3</sup> Fused Alumina, Refractory Material Brown Fused Alumina For Industry

## Specifications :

Price	Contact Us
Place of Origin	Shandong, China
Payment Terms	T/T, L/C, Western Union, etc.
Delivery Detail	10-25 Working Days.
Keyword	Brown Alumina

## Detail Introduction :

### Brown Fused Alumina (For Refractory and Abrasive using).

Brown Fused Alumina is fusing under the high temperature of above 2250°C with high quality abrasive bauxite as raw material. It is characterized by good self-sharpening and high grinding ability. Brown Fused Alumina can produce ceramic grinding wheel, resinoid grinding wheel. And BFA could be used for abrasive, sandblasting and precision casting.

### Specification:

Purpose	Size	Chemical Composition(%)				Magnetic%	
		Al <sub>2</sub> O <sub>3</sub>	Fe <sub>2</sub> O <sub>3</sub>	SiO <sub>2</sub>	TiO <sub>2</sub>		
For Abrasive	F	4#-80#	95	0.3	1	3.0	0.05
		90#-150#	94	0.3	1	3.0	0.03
		180#-240#	93	0.3	1.5	3.5	0.02
	P	8#-80#	95.0	0.2	1.2	3.0	0.05
		100#-150#	94.0				0.03
		180#-220#	93.0	0.3	1.5	3.5	0.02
For Refractory	0-1,1-3,3-5,5-8	95	0.3	1	3.0	-	
	200-0,325-0	94.5	0.5	1.5	3.5	-	

Note: Size as per customer's requirement.

Packing: 1 MT big bag or 25kg paper bag on one pallet; As per customer's requirement